





Hand pallet truck

AM 120 / 120p


Lift height: 120 mm / Load capacity: 2000 kg

 **JUNGHEINRICH**

AM l20 / l20p




AM 120 / 120p



AM 120

AM 120 / 120p



AM 120p

VDI table

Stand-on: 11/2021

Characteristic	1.1	Manufacturer (abbreviated description)																				
	1.2	Manufacturer's type designation		AM I20p																		
	1.3	Drive																				
	1.4	Operation																				
	1.5	Load capacity/ load	Q	kg																		
	1.6	Load centre distance	c	mm	610			570			485			405			610					
	1.9	Wheelbase	y	mm	1245			1165			995			835			1245					
Weights	2.1	Service weight	kg	81	78		75	72	69		65	75										
	2.1.1	Service weight (incl. battery)	kg	81	78	-		72	69	66	-		75									
	2.2	Axle load laden front/ rear	kg	-																		
	2.3	Axle load unladen front/ rear	kg	-																		
Wheels/suspension system	3.1	Tyres		V-BV	N-BN	V-GV	N-GN	V-BV	N-BN	C-GV	N-GN	V-BV	N-BN	V-GV	N-GN	V-BV	N-BN	V-GV	N-GN	V-BV	N-BN	V-GV
	3.2	Tyre size, front																				
	3.3	Tyre size, rear		Ø 80x70	Ø 80x65	Ø 80x90	Ø 80x70	Ø 80x65	Ø 80x90	Ø 80x70	Ø 80x65	Ø 80x90	Ø 80x70	Ø 80x65	Ø 80x90	Ø 80x70	Ø 80x65	Ø 80x90	Ø 80x70	Ø 80x65	Ø 80x90	
	3.5	Wheels, number front/ back (x=driven)																				
	3.6	Tread width, front	b ₁₀	mm																		
	3.7	Tread width, rear	b ₁₁	mm	520																	
Basic dimensions	4.4	Lift (h ₃)	h ₃	mm																		
	4.9	Height of tiller handle in drive position min./ max.		mm	-																	
	4.14	Stand height, elevated	h ₁₂	mm	205																	
	4.15	Height, lowered	h ₁₃	mm																		
	4.19	Overall length	l ₁	mm	1555			1475			1305			1145			1555					
	4.20	Length including fork shank	l ₂	mm	-																	
	4.21.1	Overall width	b ₁	mm	680																	
	4.22	Fork dimensions	s/ e/l	mm	51 x 160 x 1220			51 x 160 x 1140			51 x 160 x 970			51 x 160 x 810			51 x 160 x 1220					
	4.25	Width across forks	b ₅	mm	680																	
	4.32	Ground clearance centre of wheelbase	m ₂	mm	34																	
4.34	Aisle width (pallet 1000x1200 sideways)	Ast	mm																			

	4.34.1	Aisle width (pallet 800x1200 length)	Ast mm	1830	1810			1830
	4.35	Turning radius	W _a mm	1410	1330	1160	1000	1410
Performance data	5.3	Lowering speed laden/unladen	m/s					

- This data sheet according to VDI guideline 2198 only states the technical values of the standard truck. Different tyres, other masts, additional equipment etc. may result in different values.

The German production facilities in
Norderstedt, Moosburg and Landsberg
are certified.

ISO 9001
ISO 14001

Jungheinrich fork lift trucks meet
European safety requirements.



 **JUNGHEINRICH**