



## Low level order pickers with ergonomic lift **ECD 320**

Lift height: 700-1500 mm / Load capacity: 2000 kg

**LIION**  
technology

**JUNGHEINRICH**

# The efficient order picker with ergonomic lift.

## Long forks for moving multiple pallets.

Our robust and versatile ECD 320 low-level order picker works for you with twice the force: the combination of double-length forks with additional mast lift for the transportation of two pallets allows ergonomic order picking with maximum picking performance and optimum energy efficiency.

The powerful 2.8-kW motor (3.2-kW available as an option) ensures the best driving and acceleration performance. Thanks to optional lithium-ion technology, it will also keep on powering through multi-shift operation. It even shines in tough conditions: dynamic acceleration, safe cornering and high end speeds.

Despite its compact dimensions, the order picker offers a spacious, individually adjustable operator position with jetPILOT multifunctional steering wheel for back-friendly and time-saving order picking. Optimal all-round visibility, easy accessibility of all controls and additional lighting options ensure safe working.



### No worries. No compromise.

With the Jungheinrich Li-ion Guarantee Plus, we give you a long-term performance promise of up to 8 years on our high-quality lithium-ion batteries, so you can completely concentrate on your tasks without worrying.



### 100% satisfaction. Guaranteed.

We are convinced our lithium-ion technology is right for you. That's why we guarantee that you can easily and quickly switch back to the technology you originally used at any time within the first 6 months after delivery.

\* In accordance with our warranty terms - see website for details.

## All benefits at a glance

- Maximum picking performance with lowest energy consumption
- Powerful motor with high acceleration
- jetPILOT for intuitive operation same as driving a car
- Extensive options for an optimal workplace
- Ergonomic mast lift up to 700 mm (1500 mm optional)

# Your Jungheinrich order picker

## For maximum customer benefit.



### Efficiency

Maximum performance with the most efficient trucks.

Whether high picking rates, energy-saving high-performance picking or fast picking processes – choose the standard that guarantees the best output for your warehouse.

#### Powerful and efficient drive concept

- Powerful acceleration and high top speed.
- Safe cornering speed due to curveCONTROL (optional).
- Optional drivePLUS package with highly efficiency 3.2 kW motor for even greater drive and acceleration performance with load-dependent curveCONTROL.
- Regenerative braking with energy recovery.

#### Long operating times with lead-acid battery

- Energy-efficient 3-phase AC technology and high battery capacities allow for long operating times.
- Different batteries available from 375 Ah to 620 Ah.
- Lateral battery exchange option for multi-shift environments (optional).

#### Available with lithium-ion technology

- High availability thanks to extremely short charging times.
- No battery exchange required.
- Saving costs due to longer service life and zero maintenance as compared to lead-acid batteries.
- No charging rooms and ventilation required as there is no build-up of gas.



### Safety

Best prerequisites for working safely.

Better seeing and be seen: Minimise the risk of accidents in your warehouse with integrated dayLED daytime running lights and floor spots to reduce the risk of collision.

#### Rugged construction for the toughest applications

- Impact-resistant steel drive panel.
- High-quality stainless steel skirt raised extra high on the front panel.
- Torsion-resistant load forks with draw bar kinematics prevent distortion, even with heavy loads and long support arms.

#### Central display and clear instruments for complete overview

- Activation of the truck by EasyAccess via softkey, PIN code or optional transponder card.
- The 2-inch display provides information on the battery discharge status, number of operating hours, travel speed as well as error codes.
- Selection from three travel programs via softkey (optional).

#### Improved visibility

- Better visibility in poorly lit areas thanks to integrated dayLED daytime running lights (optional).
- Floor spot – significant reduction of risk to collide in blind spots due to a red dot of light projected onto the floor approx. 3 m in front of the truck (optional).



### Individuality

A forklift truck as individual as your business.

Benefit from a variety of individual options for an optimal workplace and significantly increase the productivity in the warehouse with your order picker.

#### Ergonomic and efficient work

- Back-friendly and time-saving order picking.
- Mast lift to 700 mm (1500 mm optional) for depositing goods at an ergonomic height.
- Placing of a fully picked pallet on the longer initial lift forks for lower centre of gravity and fast continuation of the picking process with a second pallet.
- Load guard (optional) and pallet holder for picking up both pallets before starting the picking process: To do this, one pallet is placed upright on the load guard and fixed with the pallet holder. Once picking of the first pallet is complete, the order picking process can be continued directly with the second pallet.

#### Perfect workstation for maximum picking performance

- Generous space, even for tall operators.
- Diverse and individualised storage options such as the shrink wrap holder on the front cover.
- Backrest versions to suit different needs.
- Additional cushioned stand-on platform (optional).
- Faster order picking thanks to touch mode in the backrest (optional).

#### Additional optional equipment

- A comprehensive range of accessories allows for individual tailoring to your requirements.
- Additional accessories for working at the second racking level.
- Sturdy, universally applicable options bracket, e.g. for radio data transmission components.
- Increased ease of use with optional sprung stand-on platform to reduce the vibrations felt by the operator.

# Overview

The right solution for your applications:

| Name    | Load capacity/load | Travel speed unladen | Aisle width (pallet 800x1200 length) | Lift speed unladen |
|---------|--------------------|----------------------|--------------------------------------|--------------------|
| ECD 320 | 2000 kg            | 12.5 km/h            | 4281 mm                              | 0.11 m/s           |

The German production facilities in Norderstedt, Moosburg and Landsberg are certified.

ISO 9001  
ISO 14001

Jungheinrich fork lift trucks meet European safety requirements.



 **JUNGHEINRICH**